



Water baths and shaking water baths - LAUDA Hydro

GFL No.	Product line	Device type	Device variant	230 V; 50/60 Hz (EU) CEE7/7 angled, "Schuko"	115 V; 60 Hz (USA) NEMA 5-15P	100 V; 50/60 Hz (JP) NEMA 5-15P	230 V; 50/60 Hz BS1363 angled (UK)	230 V; 50/60 Hz NBR 14136, BR/3/20 (BR)	230 V; 50/60 Hz AS/NSZ 3112, SAA/3/15 (AUS)	230 V; 50/60 Hz SEV 1011, SEV 5934/2, T23 (CH)	230 V; 50/60 Hz GB2099 (CN)
1101	Hydro	H 4	Water baths	L002900	L002911	L002922	L002953	L002964	L002975	L002986	L002997
1102	Hydro	H 8	Water baths	L002901	L002912	L002923	L002954	L002965	L002976	L002987	L002998
1103	Hydro	H 16	Water baths	L002902	L002913	L002924	L002955	L002966	L002977	L002988	L002999
1108	Hydro	H 22	Water baths	L002903	L002914	L002925	L002956	L002967	L002978	L002989	L003000
1104	Hydro	H 24	Water baths	L002904	L002915	L002926	L002957	L002968	L002979	L002990	L003001
1105	Hydro	H 41	Water baths	L002905	L002916	L002927	L002958	L002969	L002980	L002991	L003002
1112	Hydro	H 8 A	Water baths	L002906	L002917	L002928	L002959	L002970	L002981	L002992	L003003
1113	Hydro	H 16 A	Water baths	L002907	L002918	L002929	L002960	L002971	L002982	L002993	L003004
1083	Hydro	H 20 S	Shaking water baths	L002908	L002919	L002930	L002961	L002972	L002983	L002994	L003005
1086	Hydro	H 20 SW	Shaking water baths	L002909	L002920	L002931	L002962	L002973	L002984	L002995	L003006
1092	Hydro	H 20 SOW	Shaking water baths	L002910	L002921	L002932	L002963	L002974	L002985	L002996	L003007
1023	Hydro	H 5 V	Vaporization water baths	L003066	L003072	L003078	L003096	L003090	L003084	L003102	L003108
1041	Hydro	H 6 V	Vaporization water baths	L003067	L003073	L003079	L003097	L003091	L003085	L003103	L003109
1042	Hydro	H 9 V	Vaporization water baths	L003068	L003074	L003080	L003098	L003092	L003086	L003104	L003110
1031	Hydro	H 11 V	Vaporization water baths	L003069	L003075	L003081	L003099	L003093	L003087	L003105	L003111
1032	Hydro	H 19 V	Vaporization water baths	L003070	L003076	L003082	L003100	L003094	L003088	L003106	L003112
1052	Hydro	H 2 P	Tissue float baths	L003071	L003077	L003083	L003101	L003095	L003089	L003107	L003113

Shaking apparatus and incubators - LAUDA Varioshake

GFL No.	Product line	Device type	Device variant	230 V; 50/60 Hz (EU) CEE7/7 angled, "Schuko"	115 V; 60 Hz (USA) NEMA 5-15P	100 V; 50/60 Hz (JP) NEMA 5-15P	230 V; 50/60 Hz BS1363 angled (UK)	230 V; 50/60 Hz NBR 14136, BR/3/20 (BR)	230 V; 50/60 Hz AS/NSZ 3112, SAA/3/15 (AUS)	230 V; 50/60 Hz SEV 1011, SEV 5934/2, T23 (CH)	230 V; 50/60 Hz GB2099 (CN)
3001	Varioshake	VS 8 OE	Shaking apparatus	L003055	L003187	L003200	L003122	L003148	L003161	L003135	L003174
3002	Varioshake	VS 8 BE	Shaking apparatus	L003056	L003188	L003201	L003123	L003149	L003162	L003136	L003175
3005	Varioshake	VS 8 O *	Shaking apparatus	L003057	L003189	L003202	L003124	L003150	L003163	L003137	L003176
3006	Varioshake	VS 8 B *	Shaking apparatus	L003058	L003190	L003203	L003125	L003151	L003164	L003138	L003177
3012	Varioshake	VS 15 T	Shaking apparatus	L003059	L003191	L003204	L003126	L003152	L003165	L003139	L003178
3014	Varioshake	VS 15 R	Shaking apparatus	L003060	L003192	L003205	L003127	L003153	L003166	L003140	L003179
3017	Varioshake	VS 15 O *	Shaking apparatus	L003061	L003193	L003206	L003128	L003154	L003167	L003141	L003180
3018	Varioshake	VS 15 B *	Shaking apparatus	L003062	L003194	L003207	L003129	L003155	L003168	L003142	L003181
3020	Varioshake	VS 30 O *	Shaking apparatus	L003063	L003195	L003208	L003130	L003156	L003169	L003143	L003182
3040	Varioshake	VS 20 OH	Shaking apparatus	L003064	L003196	L003209	L003131	L003157	L003170	L003144	L003183
3031	Varioshake	VS 60 OI	Shaking incubator	L003052	L003197	L003210	L003132	L003158	L003171	L003145	L003184
3032	Varioshake	VS 45 OI	Shaking incubator	L003053	L003198	L003211	L003133	L003159	L003172	L003146	L003185
3033	Varioshake	VS 150 OI	Shaking incubator	L003054	L003199	L003212	L003134	L003160	L003173	L003147	L003186

* Optional RS-232 interface available on request

Water stills / Distillation apparatus - LAUDA Puridest

GFL No.	Product line	Device type	Device variant	230 V; 50/60 Hz (EU) CEE7/7 angled, "Schuko"	115 V; 60 Hz (USA) NEMA 5-15P	100 V; 50/60 Hz (JP) NEMA 5-15P	230 V; 50/60 Hz BS1363 angled (UK)	230 V; 50/60 Hz NBR 14136, BR/3/20 (BR)	230 V; 50/60 Hz AS/NSZ 3112, SAA/3/15 (AUS)	230 V; 50/60 Hz SEV 1011, SEV 5934/2, T23 (CH)	230 V; 50/60 Hz GB2099 (CN)	400 V; 3/N/PE; 50/60 Hz (EU) IEC 60309, 3-pol, CEE, rot, 16 A	220 V; 3/PE; 50/60 Hz Cable without connector	400 V; 3/N/PE; 50/60 Hz (EU) Cable without connector
2001/2	Puridest	PD 2	Mono distillation apparatus	L003011	n.a.	n.a.	L003219	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2001/4	Puridest	PD 4	Mono distillation apparatus	L003012	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2002	Puridest	PD 2 R	Mono distillation apparatus	L003013	n.a.	n.a.	L003220	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2004	Puridest	PD 4 R	Mono distillation apparatus	L003014	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2008	Puridest	PD 8 R	Mono distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003015	L003115	n.a.
2012	Puridest	PD 12 R	Mono distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003016	L003116	n.a.
2202	Puridest	PD 2 G	Mono distillation apparatus	L003017	n.a.	n.a.	L003221	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2204	Puridest	PD 4 G	Mono distillation apparatus	L003018	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2208	Puridest	PD 8 G	Mono distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003019	L003117	n.a.
2102	Puridest	PD 2 D	Double distillation apparatus	L003020	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2104	Puridest	PD 4 D	Double distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003021	L003118	n.a.
2108	Puridest	PD 8 D	Double distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003119	L003022	n.a.
2302	Puridest	PD 2 DG	Double distillation apparatus	L003023	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2304	Puridest	PD 4 DG	Double distillation apparatus	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003024	L003120	n.a.

* Unit with option "External Level Switch" is available as separate device variant.

** Unit with option "Separate Water Supply" is available as separate device variant.

Water stills / Distillation apparatus - LAUDA Puridest-Variants (Separate Water Supply / External Level Switch)

GFL No.	with GFL option	Device type	Device variant	Option description	230 V, 50/60 Hz (EU)	115 V, 60 Hz (USA)	100 V, 50/60 Hz (JP)	230 V, 50/60 Hz	230 V, 50/60 Hz	230 V, 50/60 Hz	230 V, 50/60 Hz	230 V, 50/60 Hz	230 V, 50/60 Hz	400 V, 3/N/PE, 50/60 Hz (EU)	220 V, 3/PE, 50/60 Hz	400 V, 3/N/PE, 50/60 Hz (EU)
					CEE7/7 angled, "Schuko"	NEMA 5-15P	NEMA 5-15P	BS1363 angled (UK)	NBR 14136, BR/3/20 (BR)	AS/NSZ 3112, SAA/3/15 (AUS)	SEV 1011, SEV 5914/2, T23 (CH)	GB2099 (CN)	IEC 60309, 5-pole, CEE, red, 16 A	Cable without connector	Cable without connector	
2004	2909 Separate Water Supply	PD 4 R	Mono distillation apparatus	with Separate Water Supply	L003254	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2008	2909 Separate Water Supply	PD 8 R	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003255	n.a.	n.a.	n.a.
2008	2909 Separate Water Supply	PD 8 R	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003265	n.a.	n.a.
2012	2909 Separate Water Supply	PD 12 R	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003256	n.a.	n.a.	n.a.
2012	2909 Separate Water Supply	PD 12 R	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003271	n.a.
2102	2903 Separate Water Supply	PD 2 D	Double distillation apparatus	with Separate Water Supply	L003260	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2104	2910 External Level Switch	PD 4 D	Double distillation apparatus	with External Level Switch	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003247	L003251	n.a.	n.a.
2104	2903 Separate Water Supply	PD 4 D	Double distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003261	L003267	n.a.	n.a.
2108	2910 External Level Switch	PD 8 D	Double distillation apparatus	with External Level Switch	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003252	L003248	n.a.
2108	2903 Separate Water Supply	PD 8 D	Double distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003268	L003262	n.a.
2202	2902 Separate Water Supply	PD 2 G	Mono distillation apparatus	with Separate Water Supply	L003257	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2202	2902 Separate Water Supply	PD 2 G	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	L003270	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2204	2908 External Level Switch	PD 4 G	Mono distillation apparatus	with External Level Switch	L003245	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2204	2902 Separate Water Supply	PD 4 G	Mono distillation apparatus	with Separate Water Supply	L003258	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2208	2908 External Level Switch	PD 8 G	Mono distillation apparatus	with External Level Switch	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003246	L003250	n.a.	n.a.
2208	2902 Separate Water Supply	PD 8 G	Mono distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003259	L003266	n.a.	n.a.
2302	2902 Separate Water Supply	PD 2 DG	Double distillation apparatus	with Separate Water Supply	L003263	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.
2304	2908 External Level Switch	PD 4 DG	Double distillation apparatus	with External Level Switch	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003249	L003253	n.a.	n.a.
2304	2902 Separate Water Supply	PD 4 DG	Double distillation apparatus	with Separate Water Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003264	L003269	n.a.	n.a.
2304	2908+2902 Ext.Level Sw.+Sep.Supply	PD 4 DG	Double distillation apparatus	with Ext.Level Sw.+Sep.Supply	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	L003323	L003324	n.a.	n.a.

Accessory range - LAUDA Hydro

GFL No.	Cat. No	Designation	Designation 2	Suitable for
1920	A000015	Stainless steel test tube rack	with 20 openings \varnothing 18 mm	H 4, H 8, H 16, H 22, H 24, H 41, H 8 A, H 16 A
1921	A000016	Stainless steel test tube rack	with 5 openings \varnothing 31 mm	H 4, H 8, H 16, H 22, H 24, H 41, H 8 A, H 16 A
1922	A000017	Stainless steel test tube rack	with 20 openings \varnothing 13 mm	H 4, H 8, H 16, H 22, H 24, H 41, H 8 A, H 16 A
3920	A000018	Stainless steel test tube rack	with 243 openings \varnothing 18 mm	H 20 S, H 20 SW, H 20 SOW
3921	A000019	Stainless steel test tube rack	with 63 openings \varnothing 31 mm	H 20 S, H 20 SW, H 20 SOW
3922	A000020	Stainless steel test tube rack	with 372 openings \varnothing 13 mm	H 20 S, H 20 SW, H 20 SOW
1942	A000022	Milk bottle rack	with 12 openings \varnothing 56 mm	H 8, H 16, H 22, H 24, H 41, H 8 A, H 16 A
3960	A000023	Shaking tray	Usable	H 20 S, H 20 SW, H 20 SOW
1919	A000024	Adjustable water level regulator		Hydro (except H 2P)
3983	A000025	Clamp for 25 ml Erlenmeyer flask		A000023
3984	A000026	Clamp for 50 ml Erlenmeyer flask		A000023
3985	A000027	Clamp for 100 ml Erlenmeyer flask		A000023
3986	A000028	Clamp for 200 ml Erlenmeyer flask		A000023
3987	A000029	Clamp for 250-300 ml Erlenmeyer flask		A000023
3988	A000030	Clamp for 500 ml Erlenmeyer flask		A000023
3989	A000031	Clamp for 1000 ml Erlenmeyer flask		A000023
3924	A000032	Test tube rack for tubes 15 ml,	\varnothing 12 - 17 mm	H 20 S, H 20 SW, H 20 SOW
3925	A000033	Test tube rack for tubes 50 ml,	\varnothing 25 - 29 mm	H 20 S, H 20 SW, H 20 SOW
SWB 0019	A000038	Raised lid		H 20 S, H 20 SW
1985	A000039	Stainless steel support rod	316 mm long, \varnothing 12 mm	H 5 V
1950	A000040	Dust cover made of aluminium	black anodised	H 2 P
1910	LZB 129	Algizid Aquastab	5 litre canister	Hydro
1911	LZB 429	Algizid Aquastab	1 litre bottle	Hydro
1912	LZB 929	Algizid Aquastab	100 mL bottle	Hydro
PT_SWB0092	A001378	Stainless steel test tube rack	with 243 openings \varnothing 18 mm, distance between	H 20 S, H 20 SW, H 20 SOW

Accessory range - LAUDA Varioshake

GFL No.	Cat. No	Designation	Designation 2	Suitable for
3949	A000041	Adhesive mat, black, 200 x 200 mm,	can be cut to size	all VS 8, VS 15 O, VS 15 B, VS 30 O, all VS XXX OI
3951	A000042	Non-slip mat for Shakers,	for all VS 8 models	all VS 8
3965	A000043	Non-slip mat for Shakers, for all VS 15	models and Shaking incubator VS 60 OI	all VS 15, VS 60 OI
3950	A000044	Shaking tray for Shakers,	for all VS 8 models	all VS 8
3966	A000045	Shaking tray for Shakers, for all VS 15	models and Shaking incubator VS 60 OI	all VS 15, VS 60 OI
3970	A000046	Shaking tray for Shaking incubator VS 45 OI		VS 45 OI
3980	A000047	Shaking tray for Shaker VS 30 O	and Shaking incubator VS 150 OI	VS 30 O, VS 150 OI
3952	A000048	Universal mount for Shakers,	for all VS 8 models	all VS 8
3967	A000049	Universal mount for Shakers, for all VS 15	models and Shaking incubator VS 60 OI	all VS 15, VS 60 OI
3982	A000050	Universal mount for Shaker VS 30 O		VS 30 O
3968	A000051	Platform frame for Shakers VS 15 T and VS 15 R		VS 15 T, VS 15 R
3983	A000025	Clamp for Erlenmeyer flask 25 ml		all device types but VS 20 OH
3984	A000026	Clamp for Erlenmeyer flask 50 ml		all device types but VS 20 OH
3985	A000027	Clamp for Erlenmeyer flask 100 ml		all device types but VS 20 OH
3986	A000028	Clamp for Erlenmeyer flask 200 ml		all device types but VS 20 OH
3987	A000029	Clamp for Erlenmeyer flask 250 - 300 ml		all device types but VS 20 OH
3988	A000030	Clamp for Erlenmeyer flask 500 ml		all device types but VS 20 OH
3989	A000031	Clamp for Erlenmeyer flask 1000 ml		all device types but VS 20 OH
3990	A000053	Clamp for Erlenmeyer flask 2000 ml		all device types but VS 20 OH
3957	A000054	Clamp for 50 ml separating funnel (Squibb)		all VS 8, VS 15 O, VS 15 B
3958	A000055	Clamp for 100 ml separating funnel (Squibb)		all VS 8, VS 15 O, VS 15 B
3959	A000056	Clamp for 250 ml separating funnel (Squibb)		all VS 8, VS 15 O, VS 15 B
3955	A000057	Clamp for 250 ml separating funnel	(conical form)	all VS 8, VS 15 O, VS 15 B
3956	A000058	Clamp for 500 ml separating funnel (Squibb)		all VS 8, VS 15 O, VS 15 B
3953	A000059	Test tube rack for max. 24 tubes	12 - 17 mm \varnothing , length 75 - 160 mm	all device types but VS 15 T, VS 15 R and VS 20 OH
3954	A000060	Test tube rack for max. 16 tubes	25 - 29 mm \varnothing , length 75 - 160 mm	all device types but VS 15 T, VS 15 R and VS 20 OH
3910	A000061	Holder for test plates		all device types but VS 15 T, VS 15 R, VS 20 OH and VS 30 O

Accessory range - LAUDA Puridest

GFL No.	Cat. No	Designation	Designation 2	Suitable for
2904	A000129	Dechlorite filter with filling		all Puridest water stills
2905	A000130	Spare filling for Dechlorite filter A000129	and A000135	A000129, A000135
2906	A000131	Phosphate cartridge with filling		all Puridest water stills
2907	A000132	Spare filling for Phosphate cartridge A000131	and A000135	A000131, A000135
2912	A000133	Pre-Filter 1 μ m with fine filter candle		all Puridest water stills
2913	A000134	Spare candle for Pre-Filter A000133	and A000135	A000133, A000135
2915	A000135	Pre-filters, set of 3, with wall bracket	and initial fillings, fully assembled	all Puridest water stills
2921	A000136	Wall bracket for one filter cartridge		A000129, A000131, A000133
2940	A000137	Hose set for Water Stills PD 2, PD 4		PD 2, PD 4
2941	A000138	Hose set for Water Stills PD 2 R - PD 12 R,	PD 2 D - PD 8 D	PD 2 R - PD 12 R, PD 2 D - PD 8 D
2943	A000139	Hose set for Water Stills PD 2 G - PD 8 G		PD 2 G - PD 8 G
2944	A000140	Hose set for Water Stills PD 2 DG, PD 4 DG		PD 2 DG, PD 4 DG
2946	A000141	Hose set for Water Stills PD 4 R - PD 12 R	with Separate Water Supply	PD 4 R - PD 12 R
2947	A000142	Hose set for Water Stills PD 2 D - PD 8 D	with Separate Water Supply	PD 2 D - PD 8 D
2948	A000143	Hose set for Water Stills PD 2 G - PD 8 G	with Separate Water Supply	PD 2 G - PD 8 G
2949	A000144	Hose set for Water Stills PD 2 DG, PD 4 DG	with Separate Water Supply	PD 2 DG, PD 4 DG

Units with the options "Separate Water Supply" and/or "External Level Switch" are available as separate device variants.

Spare Part List

GFL No.	Cat. No	Product line	Description
0011113	A000062	Spare Part	Kompressor CAJ 2428Z 1.Stage
0011126	A000063	Spare Part	Kompressor CAJ 2428Z 2.Stage
0011130	A000064	Spare Part	Kompressor CAJ2440 Z 2.Stage
0011414	A000065	Spare Part	Security pressure switch G63
0012067	A000066	Spare Part	NC-Accumulator 8.4V 2.65Ah
0012080D	A000067	Spare Part	Multiple sealing K6 units
0012080E	A000068	Spare Part	Blind plug K6 units
0012109	A000069	Spare Part	Motor
0012140	A000070	Spare Part	Geared motor 230 V
0012159	A000071	Spare Part	Motor
0012160	A000072	Spare Part	Drive motor
0012162	A000073	Spare Part	Drive motor
0012185	A000074	Spare Part	Motor
0012190	A000075	Spare Part	Fan motor 230 V, d=200 mm, with cable 0030094
0012191	A000076	Spare Part	Fan motor 230 V, d=230 mm, with cable 0030094
0012227	A000077	Spare Part	Heating element 1500 W / 230 V
0012229	A000078	Spare Part	Heating element 1000 W / 230 V
0012233	A000079	Spare Part	Heating element 1500 W / 230 V
0012235	A000080	Spare Part	Heating element 1500 W / 230 V
0012237	A000081	Spare Part	Heating element 1500 W / 230 V
0012241	A000082	Spare Part	Heating element 1000 W / 230 V
0012243	A000083	Spare Part	Heating element 1500 W / 230 V
0012245	A000084	Spare Part	Heating element 2000 W / 230 V
0012247	A000085	Spare Part	Heating element 3000 W / 230 V
0012265	A000086	Spare Part	Quartz-sheathed heating element 1500W / 230 V, 1. stage
0012266	A000087	Spare Part	Heating element 1500 W / 230 V
0012271	A000088	Spare Part	Quartz-sheathed heating element 1400W / 230 V, 2. stage
0012421	A000089	Spare Part	Float switch
0012505	A000090	Spare Part	Solenoid valve nominal size 10 mm
0012520	A000091	Spare Part	Contactora (230V 50/60Hz)
0013415	A000092	Spare Part	Low water cut-off
0013715	A000093	Spare Part	Controller for AC motor 230V 1:10
0013717	A000094	Spare Part	Electronic level switch for glass water stills
0013737	A000095	Spare Part	Motor controller
0013755	A000096	Spare Part	Electronic level switch
0013763	A000097	Spare Part	Forked light barrier
0013768	A000098	Spare Part	Microprocessor power board
0013774	A000099	Spare Part	Key switch module
0013776	A000100	Spare Part	Electronic temperature controller
0013777	A000101	Spare Part	Microprocessor control board
0014117	A000102	Spare Part	Distillate outlet tap
0014118	A000103	Spare Part	Water level regulator
0014205	A000104	Spare Part	Quantity regulator light green 2.0 l/min
0014207	A000105	Spare Part	Quantity regulator lilac 3.3 l/min
0014212	A000106	Spare Part	Quantity regulator yellow, 0.5 l/min
0014213	A000107	Spare Part	Quantity regulator green, 0.8 l/min
0014214	A000108	Spare Part	Quantity regulator blue, 1.2 l/min
0014215	A000109	Spare Part	Quantity regulator beige, 1.3 l/min
0016209	A000110	Spare Part	Cooling coil
0016215	A000111	Spare Part	Cooling coil
0026615	A000112	Spare Part	Drive belt
0033001	A000113	Spare Part	Double solenoid valve
0013795	A000114	Spare Part	Electronic temperature controller
0014101	A000115	Spare Part	Drain cock
0014313	A000116	Spare Part	Stand
0014324	A000117	Spare Part	Stand, only model H 41
0014502	A000118	Spare Part	Lid handle
0030044	A000119	Spare Part	Temperature sensor
0012249	A000120	Spare Part	Heating element 500 W / 230 V
0026301	A000121	Spare Part	Stirrer magnet
0026303	A000122	Spare Part	Rotary magnet with mount
0012746	A000123	Spare Part	Multiplier for stirrer motor
0012311	A000124	Spare Part	Mains cable
0013791	A000125	Spare Part	Fuse holder, 2-pole
0012091	A000126	Spare Part	Mains fuse, internal, 8 A T
0012426	A000127	Spare Part	Main switch
0012843	A000128	Spare Part	Triac

000 «Диаэм»

Москва

ул. Магаданская, д. 7, к. 3 ■ тел./факс: (495) 745-0508 ■ sales@dia-m.ru

www.dia-m.ru

С.-Петербург

+7 (812) 372-6040
spb@dia-m.ru

Казань

+7 (843) 210-2080
kazan@dia-m.ru

Новосибирск

+7 (383) 328-0048
nsk@dia-m.ru

Ростов-на-Дону

+7 (863) 303-5500
rnd@dia-m.ru

Воронеж

+7 (473) 232-4412
vrn@dia-m.ru

Екатеринбург

+7 (912) 658-7606
ekb@dia-m.ru

Йошкар-Ола

+7 (927) 880-3676
nba@dia-m.ru

Кемерово

+7 (923) 158-6753
kemerovo@dia-m.ru

Красноярск

+7 (923) 303-0152
krsk@dia-m.ru

Армения

+7 (094) 01-0173
armenia@dia-m.ru

